UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/719,776	11/21/2003	Nidham Ben Rached	Q102454	2886
72875 SUGHRUE MI	7590 05/20/200 ON, PLLC	EXAMINER		
2100 Pennsylva	mia Avenue, N.W.	MALEK, LEILA		
Washington, DC 20037			ART UNIT	PAPER NUMBER
			2611	
			NOTIFICATION DATE	DELIVERY MODE
			05/20/2009	ELECTRONIC

# Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

USPTO@sughrue.com kghyndman@sughrue.com USPatDocketing@sughrue.com

		Application No.	Applicant(s)		
Office Action Commence		10/719,776	RACHED ET AL.		
	Office Action Summary	Examiner	Art Unit		
		LEILA MALEK	2611		
Period fo	The MAILING DATE of this communication app or Reply	ears on the cover sheet with the c	orrespondence address		
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.  - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.  - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).					
Status					
1) 又	Responsive to communication(s) filed on <u>09 M</u>	arch 2009			
· · · · · · · · · · · · · · · · · · ·	• • • • • • • • • • • • • • • • • • • •	action is non-final.			
′=	/ <del></del>				
٠,١	closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.				
	·	panto Quayio, 1000 0.21 1.1, 10	0 0.0.2.0.		
Dispositi	on of Claims				
<ul> <li>4)  Claim(s) 1-22 is/are pending in the application.</li> <li>4a) Of the above claim(s) is/are withdrawn from consideration.</li> <li>5)  Claim(s) is/are allowed.</li> <li>6)  Claim(s) 1,2,4,5,8,10-12 and 14-17 is/are rejected.</li> <li>7)  Claim(s) 3,6,7,9,13 and 18-21 is/are objected to.</li> <li>8)  Claim(s) are subject to restriction and/or election requirement.</li> </ul>					
Applicati	on Papers				
<ul> <li>9) ☐ The specification is objected to by the Examiner.</li> <li>10) ☒ The drawing(s) filed on 21 November 2003 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner. Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a). Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).</li> <li>11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.</li> </ul>					
Priority ι	ınder 35 U.S.C. § 119				
<ul> <li>12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some * c) None of:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No</li> <li>3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* See the attached detailed Office action for a list of the certified copies not received.</li> </ul>					
2)  Notic 3) Inform	e of References Cited (PTO-892) se of Draftsperson's Patent Drawing Review (PTO-948) mation Disclosure Statement(s) (PTO/SB/08) r No(s)/Mail Date	4)  Interview Summary Paper No(s)/Mail Da 5)  Notice of Informal P 6)  Other:	ite		

### **DETAILED ACTION**

Page 2

## Response to Arguments

1. Applicant's arguments, filed on 03/09/2009, see pages 13-15, with respect to claims 1 and 11 have been considered but they are not persuasive.

**Applicant's Argument:** Applicant argues on page 13, first paragraph that "there is no teaching or suggestion in DiFazio that "a detection magnitude is evaluated <u>on the basis of the estimated channel parameters</u> and of a correlation between a signal received at the receiver system and the predetermined digital sequence", as recited in the claim. **Examiner's Response:** Examiner asserts that DiFazio teaches a detection magnitude (i.e. the signal power) is evaluated on the basis of estimated channel parameters (see Figs. 2, 3, blocks 7, 12, 13, <u>and paragraph 0027</u>) and a correlation (see matched filter 12) between a signal received at the receiver system (see paragraph 0028) and the predetermined digital sequence (see the third input of matched filter 12 (i.e., the code for physical channel with TFCI)).

**Applicant's Argument:** Applicant argues, on page 14, last paragraph, that there is no teaching or suggestion in Scott for "comparing <u>an adaptive threshold</u> to a detection signal to decide if a signal burst is detected".

**Examiner's Response:** Examiner respectfully disagrees. Scott discloses a method/apparatus for detecting a signal burst (see the abstract, column 6, lines 52-55, and column 37, second paragraph) transmitted on the initiative of a sender on a radio channel (see column 6, lines 59-63) listened to by a receiver system. Scott further discloses that a detection magnitude is evaluated on the basis of a correlation between

Application/Control Number: 10/719,776 Page 3

Art Unit: 2611

a signal received at the receiver system and the predetermined digital sequence (see column 37, paragraphs 2 and 3), wherein the detection magnitude is <u>compared with an adaptive detection threshold to decide whether the signal burst is detected (see column 41, lines 10-57, specially lines 42-44)</u>.

## Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

2. Claims 1 and 11 are rejected under 35 U.S.C. 102(e) as being anticipated by DiFazio (US 2003/0063576).

As to claims 1 and 11, DiFazio discloses a method/apparatus for detecting a signal burst (see paragraph 0012) transmitted on the initiative of a sender on a radio channel (see paragraph 0027) listened to by a receiver system, the transmitted burst representing a predetermined digital sequence (see paragraph 0003, 0010, and claim 1), in which method/apparatus channel parameters representing a statistical behavior of the radio channel are estimated (see paragraph 0027) and a detection magnitude (i.e. the signal power) is evaluated on the basis of estimated channel parameters (see Figs. 2, 3 and paragraph 0027) and a correlation (see matched filter 12) between a signal received at the receiver system (see paragraph 0028) and the predetermined digital

sequence (see the third input of matched filter 12 (i.e., the code for physical channel with TFCI)), wherein the detection magnitude is compared (see comparator 14) with an adaptive detection threshold (since the threshold has been generated based on the noise estimation results, and noise changes constantly in the system; therefore the threshold can be considered as an adaptive threshold) to decide whether the signal burst is detected.

3. Claims 1, 2, 8, 11, 12, 16, and 17 are rejected under 35 U.S.C. 103(a) as being unpatentable over Scott et al. (hereafter, referred as Scott) (US 6,154,486), in view of DiFazio.

As to claims 1 and 11, Scott discloses a method/apparatus for detecting a signal burst (see the abstract, column 6, lines 52-55, and column 37, second paragraph) transmitted on the initiative of a sender on a radio channel (see column 6, lines 59-63) listened to by a receiver system, the transmitted burst representing a predetermined digital sequence (i.e. the preamble) (see column 37, second paragraph), in which method/apparatus channel parameters representing a statistical behavior of the radio channel are estimated (see column 47, lines 25-32) and a detection magnitude is evaluated on the basis of a correlation between a signal received at the receiver system and the predetermined digital sequence (see column 37, paragraphs 2 and 3), wherein the detection magnitude is compared with an adaptive detection threshold to decide whether the signal burst is detected (see column 41, second paragraph). Scott discloses all the subject matters claimed in claims 1 and 11, except that detection magnitude is evaluated on the basis of the estimated channel. DiFazio, in the same field

Art Unit: 2611

of endeavor, discloses a receiver including a burst detector for detecting when a selected one of the plurality of channels of the communication is received (See the abstract and paragraph 0012). DiFazio further discloses that the receiver (see Fig. 2) comprises a channel estimation unit 7 connected to the burst detector 10. DiFazio further discloses that the burst detector comprises a matched filter for detecting signal power of the selected one of the channels of the time slots, responsive to the outputs of the channel estimation device (See Fig. 3), and a signal power estimation device, responsive to the matched filter, for generating a signal power estimate of the selected one of the channels of the timeslots (See paragraph 0012). It would have been obvious to one of ordinary skill in the art at the time of invention to modify Scott as suggested by DiFazio (see paragraph 0010) to evaluate detection magnitude on the basis of the estimated channel, in order to make the detection of the burst more reliable.

As to claims 2 and 12, Scott further discloses that a false detection rate for the burst is estimated, over an observation period, and the adaptive detection threshold is varied as a function of the estimated false detection rate (column 40, lines 5-8).

As to claim 8, Scott further discloses that the signal received is subjected to a filtering matched (see column 37, second paragraph) to the predetermined digital sequence so as to obtain the correlation in the form of a complex signal having a first component on an in-phase path and a second component on a quadrature path (see column 3, lines 46-57).

As to claim 16, Scott further discloses that the receiver system comprises at least one base station and a base station controller (see Fig. 2 and column 6, last

Art Unit: 2611

paragraph). DiFazio discloses that the means for estimating channel parameters, the means for evaluating the detection magnitude and the means of comparison form part of the base station (see Figs. 2 and 3 and paragraph 0026). Scott and DiFazio do not expressly disclose that the adaptation means forms at the base station controller, however it is a matter of design choice to perform parts of the burst detection process (e.g. threshold value determination) outside the base station (i.e. inside the base station controller) in order to make the base station smaller.

As to claim 17, Scott discloses that the base station controller is communicating with the base station (see column 6, last paragraph). Therefore, as described in the rejection of claim 16, it would have been obvious to one ordinary skill in the art at the time of invention to perform the adaptation process in the base station controller and the transmit messages for adjusting the detection threshold to the base station, in order to make the base station smaller.

4. Claims 4, 5, 14, and 15 are rejected under 35 U.S.C. 103(a) as being unpatentable over Scott and DiFazio, further in view of Karlsson et al. (hereafter, referred as Karlsson) (US 2002/0057730).

As to claims 4 and 14, Scott and DiFazio disclose all the subject matters claimed in claims 1 and 11, except that over an observation period, a ratio of a probability of transmission of the burst by a sender to a probability of absence of transmission of the burst is estimated. Karlsson, in the same field endeavor, discloses a method for determining whether a zero rate (i.e. the absence of transmission) or non-zero rate (i.e. the presence of transmission) transmission has occurred (see the abstract and

paragraph 0076). Karlsson further discloses that over an estimation period (interpreted as observation period), a ratio of a probability of transmission of the burst by a sender to a probability of absence of transmission of the burst is estimated (see paragraphs 0077-0080). It would have been obvious to one of ordinary skill in the art at the time of invention to modify Scott and DiFazio to estimate a ratio of a probability of transmission of the burst by a sender to a probability of absence of transmission of the burst, as suggested by Karlsson, in order to detect the signal transmission more accurately (see paragraph 0018).

As to claims 5 and 15, Karlsson further discloses that estimation of the probability ratio comprises a countdown of the number of detections of the burst during the observation period (see paragraphs 0076-0079). It would have been obvious to one of ordinary skill in the art at the time of invention to modify Scott and DiFazio, as suggested by Karlsson, in order to detect the signal transmission more accurately (see paragraph 0018).

5. Claims 10 and 22 are rejected under 35 U.S.C. 103(a) as being unpatentable over Scott and DiFazio, further in view of Bhatoolaul et al. (hereafter, referred as Bhatoolaul) (US 2001/0046864).

As to claims 10 and 22, Scott further discloses that the receiver system belongs to a radio-communication network (see column 6, lines 56-63). Scott and DiFazio disclose all the subject matters claimed in claims 10 and 22, except that the burst is sent so as to request access to the network. Bhatoolaul, in the same field of endeavor, discloses a communication system, which comprises a burst detector (see paragraph

Application/Control Number: 10/719,776 Page 8

Art Unit: 2611

0021). Bhatoolaul further discloses that the burst is sent so as to request access to the network (see paragraphs 0019 and 0021). It would have been obvious to one of ordinary skill in the art at the time of invention to modify Scott and DiFazio to use the burst as a request access to the network to reduce the probability of interference and collisions between neighboring mobiles simultaneously attempting to access the network via same cell (see paragraph 0003).

## Allowable Subject Matter

6. Claims 3, 6, 7, 9, 13, and 18-21 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

### Conclusion

7. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Application/Control Number: 10/719,776 Page 9

Art Unit: 2611

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Leila Malek whose telephone number is 571-272-8731. The examiner can normally be reached on 9AM-5:30PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mohammad Ghayour can be reached on 571-272-3021. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <a href="http://pair-direct.uspto.gov">http://pair-direct.uspto.gov</a>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Leila Malek Examiner Art Unit 2611

/L.M./ /Leila Malek/ Examiner, Art Unit 2611

/Mohammad H Ghayour/ Supervisory Patent Examiner, Art Unit 2611 Application/Control Number: 10/719,776

Page 10

Art Unit: 2611